International Journal of Physics and Mathematics

E-ISSN: 2664-8644
P-ISSN: 2664-8636
Impact Factor (RJIF): 8.21
IJPM 2025; 7(2): 327-339

www.physicsjournal.net
Received: 10-09-2025
Accepted: 15-10-2025

Antony D Miller
Ph.D., Ed.D, Professor, Department of International Relations and Journalism, Otgontenger University, 13343, 51 Jukov Street, Ulaanbaatar, Mongolia

Corresponding Author:
Antony D Miller
Ph.D., Ed.D, Professor, Department of International Relations and Journalism, Otgontenger University, 13343, 51 Jukov Street, Ulaanbaatar, Mongolia

The green Fibonacci sequence: Natural occurrences, modern innovations, and today's mathematical applications for clean industrial practices

Antony D Miller

DOI: https://www.doi.org/10.33545/26648636.2025.v7.i2d.169

Abstract
The Fibonacci sequence, a mathematical pattern rooted in nature's growth dynamics, has transcended theoretical confines to become a cornerstone of sustainable industrial innovation. This study explores its pervasive presence in natural system, from phyllotaxis in plants to spiral galaxies, and its subsequent adaptation into modern engineering and manufacturing processes. By harnessing Fibonacci-derived structures, industries achieve material efficiency, energy optimization, and waste reduction, aligning with circular economy principles. Civil engineers utilize Fibonacci spirals for load-bearing designs that minimize steel usage, while data scientists employ sequence-based algorithms to model resource distribution networks. In product design, biomimetic Fibonacci patterns reduce material waste without compromising structural integrity. The sequence's role in bridging natural efficiency with industrial applications is exemplified in photovoltaic array configurations, where Fibonacci spacing enhances light absorption. This paper demonstrates how nature-inspired mathematics fosters cleaner production paradigms, offering scalable solutions for global sustainability challenges.

Keywords: Biomimicry, sustainable manufacturing, Fibonacci optimization, green engineering, circular economy

Introduction
The sequence itself - Origins
The Fibonacci sequence, a series where each number is the sum of the two preceding ones (e.g., 0, 1, 1, 2, 3, 5, 8, and so on), was introduced to the Western world by Leonardo of Pisa, known as Fibonacci, in his 1202 work Liber Abaci ("International Journal of Scientific Research in Multidisciplinary Studies," 2022) [45]. This seminal text, primarily focused on elementary algebra and arithmetic, introduced the Hindu-Arabic numeral system to Europe and featured a now-famous rabbit breeding problem that elucidated the sequence (Bianco *et al.*, 2024) (Nurkan & Güven, 2023) [16, 71]. However, historical evidence indicates that references to the sequence appear in Sanskrit literature as early as 250 BCE, with some historians even claiming its presence around 450 BCE within Indian texts (Billauer, 2012) [17]. More specifically, the Jain scholar Acharya Hemachandra rigorously discussed the sequence approximately 50 years before Fibonacci, in the context of analysing Sanskrit prosody, where he investigated ways to complete a verse with a given number of beats using short and long syllables (Luca & Patel, 2018) [58]. The sequence, commonly starting with 0 and 1, generates the series 0, 1, 1, 2, 3, 5, 8, 13, 21, and so forth, where each subsequent term is derived from the sum of the two preceding terms (Ulbert *et al.*, 2022) [92] ("International Journal of Scientific Research in Multidisciplinary Studies," 2022) [45]. This mathematical progression, initially conceived as a solution to a rabbit population growth problem, reveals profound connections to various natural phenomena and modern technological advancements (Moreno & Lilian, 2021) [69]. This fundamental numerical pattern extends beyond mere mathematical curiosity, manifesting in diverse scientific domains such as biology, physics, astrophysics, and chemistry, often reflecting processes of self-organization or minimum energy configurations (Pletser, 2018) (Pletser, 2018) [77, 78]. Indeed, the ubiquitous nature of the Fibonacci sequence, and its close relative the golden ratio, demonstrates a remarkable versatility, finding extensive applications across multiple disciplines (Kızılateş *et al.*, 2025) [53]. One particularly significant aspect is the deep connection between the Fibonacci sequence and the golden ratio (φ),

which emerges as the ratio of consecutive Fibonacci numbers approaches infinity (Au-Yang & Perk, 2013) [9]. This convergence to the golden ratio $\phi \approx 1.618$ reveals a fundamental link between arithmetic progression and an irrational algebraic number with widespread implications in natural patterns and human design (Sen & Agarwal, 2008) (Rizzo, 2023) [79, 83]. Fibonacci's work, including his exposition of the Hindu-Arabic numeral system, significantly impacted European mathematics, particularly in algebraic methods and practical arithmetic for merchants (Moreno & Lilian, 2021) (Misra, 2021) [66, 69]. The intellectual achievements in discovering different sets of numbers, including the Fibonacci sequence, have profoundly influenced mathematical analysis and number theory, leading to extensive applications across various scientific fields (Battaloğlu & Şimşek, 2021) [14]. For instance, the approximation of real roots of cubic polynomials and the study of generalized Fibonacci numbers demonstrate the sequence's enduring relevance in computational mathematics and theoretical physics, respectively (Steihaug, 2022) (Canessa, 2003) [25, 87]. The recurrence relation defining the Fibonacci sequence,

$$a_{n+1} = a_{n-1}$$

serves as a foundational example of a linear homogeneous recurrence relation, which can be generalized to more complex forms like

$$a_{n+1} = Aa_n = Ba_{n-1},$$

Which is applicable in diverse fields from economics to physics (Cimmino, 2005) [30]. This mathematical framework allows for the modeling of growth patterns and dynamic systems where successive states are dependent on previous ones, making it a powerful tool for predictive analysis in complex systems. Its widespread appearance across scales, from the galactic to the atomic, underscores its significance as a fundamental mathematical constant in natural philosophy (Marples & Williams, 2022) [64]. The profound interconnectedness between mathematical constants like the golden ratio and fundamental structures in the universe is further illuminated by its emergence in diverse physical phenomena, such as the fractal geometry observed in Kpz and cellular automata (Anjos *et al.*, 2021) (Sherbon, 2010) [6, 85]. This ubiquitous presence suggests that the Fibonacci sequence and its related golden ratio may represent fundamental principles governing pattern formation and efficiency in natural systems (Filcek, 2022) [34]. This universal applicability extends to modern engineering and design, where principles derived from Fibonacci patterns and the golden ratio are leveraged for optimal structures and aesthetic appeal (Kaur *et al.*, 2025) [50]. For instance, the application of Fibonacci sequences extends to financial analysis, where they are used to predict market trends and potential reversal points (Khan *et al.*, 2022) [52]. Furthermore, the ratio of successive Fibonacci numbers, asymptotically approaches the golden ratio:

F(n+1)/F(n),

($\Phi \approx 1.618$), a characteristic frequently observed in diverse natural formations (Cady, 2008) (Yılmaz & Taşkara, 2015) [24, 95]. This convergence, formalized through the characteristic equation x^2-x-1=0 reveals that the golden ratio is the dominant root dictating the asymptotic behavior of the sequence (Ke & Zhang, 2015) (Fıorenza & Vincenzi, 2013) [35, 51]. This mathematical relationship has profound implications, appearing in phenomena as diverse as the spiral growth of plants and the branching patterns of trees. The pervasive appearance of this ratio, often denoted by the Greek letter ϕ suggests an underlying mathematical order in natural growth processes that optimizes packing efficiency and light exposure (Pellis, 2023) [74]. This principle of optimal design, rooted in the Fibonacci sequence and Golden Ratio, extends to the aesthetic appreciation of forms in nature, where a higher number of Fibonacci sequences in structures like flowers can correlate with greater perceived beauty (Baez *et al.*, 2024) [11]. This phenomenon indicates that the approximation of the ratio of consecutive Fibonacci numbers to the Golden Ratio (approximately 1.618034) is a key determinant of visual appeal, suggesting that structures aligning more closely with this irrational number are inherently more pleasing to human perception (Adhikari, 2023) (Baez *et al.*, 2024) [1, 11]. The golden ratio, denoted as $\phi \approx 1.618$ is an irrational number considered by many to be the most aesthetically pleasing proportion to the human visual sensation, appearing not only in beauty but also throughout the natural world in the growth patterns of plants, insects, and even in the human body itself (Akhtaruzzaman & Shafie, 2012) (Adhikari, 2023) [1, 4]. This intrinsic relationship between beauty and the golden ratio in flowers and faces has been explored through methodologies such as the Implicit Association Test, which examines subconscious preferences (Chong & Zelcer, 2024) [29]. The occurrence of these sequences in physiological rhythms further suggests that their presence might facilitate visual processing, thereby acting as ecological affordances that contribute to perceived attractiveness (Bartolo *et al.*, 2025) [13]. This aesthetic preference is theorized to stem from the mathematical properties of the golden ratio, which provides a harmonious balance and proportion that is subconsciously appealing (Baez *et al.*, 2024) [11]. For instance, the Golden Section, a division of a line segment such that the ratio of the whole to the larger part is equal to the ratio of the larger part to the smaller part, is considered to embody mathematical beauty and is extensively utilized in architecture and art (Lüttge & Souza, 2018) [60]. The omnipresence of the golden ratio extends beyond static aesthetics, influencing dynamic processes such as human motor behavior where it governs rhythmic movements like cardiac, respiratory, and walking patterns, promoting energy efficiency (Bartolo *et al.*, 2021) [12]. Indeed, recent research suggests that exposure to the golden ratio, even beyond the visual system, can facilitate the processing of sensory information, contributing to a fluent and pleasant aesthetic experience in accordance with processing fluency theory (Bartolo *et al.*, 2025) (Bartolo *et al.*, 2021) [12, 13]. This pervasive influence of the golden ratio across diverse biological and psychological domains, including aesthetic judgment, is further supported by studies investigating eye-tracking patterns and psychophysical responses to stimuli embodying this proportion (Bartolo *et al.*, 2021) (Bartolo *et al.*, 2025) [12, 13]. Early investigations into the golden ratio’s aesthetic impact, dating back to ancient Greece, highlight its perceived role as a benchmark for beauty across various art forms, including sculpture and painting (Salera *et al.*, 2024) (Bartolo *et al.*, 2021) [12, 81]. This historical appreciation aligns with modern neuroaesthetic research, which employs eye-tracking and neuroimaging to objectively analyse the brain's response to aesthetically pleasing stimuli, often revealing a preference for objects incorporating the golden ratio (Bartolo *et al.*, 2021) [12]. Such investigations suggest that the golden ratio acts as a visual affordance, promoting a sense of harmony and balance that is intrinsically perceived as attractive by the human visual system (Bartolo *et al.*, 2021) (Bartolo *et al.*, 2025) [12, 13]. This ecological affordance, where the golden ratio is recognized as an intrinsic property by our visual system, suggests that preferences for such proportions are deeply ingrained and not solely influenced by cultural factors (Bartolo *et al.*, 2021) [12]. This deep-seated preference for the golden ratio is theorized to derive from its prevalence in natural forms, providing a familiar and neurologically efficient processing pathway (Bartolo *et al.*, 2025) [13]. This familiarity allows for a more fluid and less effortful cognitive processing of stimuli embodying these proportions, contributing to an enhanced aesthetic experience (Bartolo *et al.*, 2025) [13]. This preference is further supported by studies demonstrating that individuals often judge visual stimuli containing the golden ratio, such as human faces or abstract art, as more aesthetically pleasing than those that do not (Bartolo *et al.*, 2021) [12] (Lucia *et al.*, 2024) [59]. This observation is consistent across various cultures and demographic groups, implying a universal aspect to the perception of beauty tied to mathematical proportions (Bartolo *et al.*, 2025) (Bartolo *et al.*, 2021) [12, 13]. The underlying mechanism for this universal appeal may be linked to processing fluency, where stimuli conforming to the golden ratio are processed more easily and therefore elicit a more positive aesthetic response (Monroy *et al.*, 2023) (Bartolo *et al.*, 2025) [13, 68]. However, the subjective experience of beauty, while often correlated with the Golden Ratio, also involves individual emotional responses and cultural influences (Bartolo *et al.*, 2021) [12]. Nevertheless, the mathematical elegance of the golden ratio, defined as the division of a segment such that the ratio of the shorter part to the longer part equals the ratio of the longer part to the whole, inherently contributes to its widespread application in design and art (Bartolo *et al.*, 2025) [13]. Empirical studies, for instance, have shown a significant negative correlation between the dwell time on areas of interest modified to the golden ratio and aesthetic judgment, suggesting that less time is needed to perceive beauty in such proportions (Bartolo *et al.*, 2021) [12]. This reduced processing effort for stimuli adhering to the golden ratio contributes to an enhanced aesthetic experience, aligning with theories of perceptual fluency and the intrinsic properties of objective beauty (Bartolo *et al.*, 2021) [12]. Indeed, while some theories propose that the Golden Ratio constitutes an "objective beauty" tied to intrinsic stimulus properties, alternative hypotheses, such as the constructal theory, suggest that preference for the Golden Ratio arises from the visual system's tendency to scan the world in approximately golden proportions (Bartolo *et al.*, 2025) (Bartolo *et al.*, 2021) [12, 13]. Furthermore, evidence indicates that the Golden Ratio's aesthetic impact varies across different stimulus categories, being more pronounced for human photographs, sculptures, and paintings than for geometric stimuli (Bartolo *et al.*, 2025) [13]. This variability underscores the interplay between objective mathematical principles and the contextual nature of aesthetic perception (Bartolo *et al.*, 2021) [12]. The perception of beauty is therefore not solely governed by inherent mathematical ratios, but also significantly influenced by individual subjective experiences and cultural backgrounds, further activating areas of the brain associated with emotional processing (Bartolo *et al.*, 2021) [12]. However, despite evidence suggesting a preference for the golden ratio in aesthetic judgments, such scientific findings are often nuanced and not always unambiguously conclusive (Zijlstra *et al.*, 2024) [98]. For instance, subjects show a general preference for the Golden Ratio, yet this preference is not universally observed across all types of stimuli (Bartolo *et al.*, 2025) [13]. Moreover, cultural factors and individual differences in aesthetic appreciation can modulate the perceived attractiveness of stimuli conforming to the Golden Ratio (Thapa & Thapa, 2018) [89]. While some research indicates a correlation between golden ratio preferences and self-assessed artistic and mathematical knowledge for certain stimuli like human photographs and sculptures, conflicting results exist concerning its universality across diverse stimulus types and cultural contexts (Bartolo *et al.*, 2025) [13]. These varying outcomes highlight the complex interplay between objective aesthetic properties and subjective cognitive interpretations (Bartolo *et al.*, 2025) [13]. Nevertheless, a consistent thread in research suggests that stimuli incorporating the Golden Ratio tend to elicit higher aesthetic appraisals and reduced cognitive processing load, contributing to a more fluent and positive perceptual experience (Zhang *et al.*, 2017) (Bartolo *et al.*, 2021) [12, 97]. Despite these nuanced findings, the consistent statistical preference for the golden ratio in various aesthetic contexts reinforces its significance as a design principle. This principle has been historically applied in classical art and architecture, evident in structures like the Parthenon, which incorporated the golden ratio in its façade design, and in sculptures such as the Venus de Milo (Bartolo *et al.*, 2021) [12]. This historical application demonstrates a long-standing human inclination towards incorporating these specific proportions to achieve visually harmonious and appealing creations. This historical and cross-cultural recurrence points to the golden ratio as a fundamental element in the pursuit of aesthetic perfection, influencing not only perception but also the creation of enduring works of art and architecture. In particular, studies have questioned whether the golden ratio consistently emerges as the most preferred ratio across various stimuli, with some suggesting it is often an average or median preference rather than a modal one (Bartolo *et al.*, 2021) [12]. Indeed, while some studies found that the golden ratio is a preferred proportion for rectangles, triangles, and even human faces and sculptures, other research has yielded conflicting results (Bartolo *et al.*, 2025) [13]. For example, some studies have found no significant preference for the Golden Ratio in geometric figures, suggesting that its aesthetic appeal might be more context-dependent and influenced by ecological validity (Bartolo *et al.*, 2021) (Bartolo *et al.*, 2025) [12, 13]. Specifically, recent ecological experimental paradigms utilizing natural and anthropomorphic figures have highlighted a significant preference for the Golden Ratio in these contexts, while simple geometric stimuli often fail to elicit such preferences (Bartolo *et al.*, 2025) (Bartolo *et al.*, 2021) [12, 13]. This discrepancy suggests that the Golden Ratio acts as an ecological affordance, guiding aesthetic judgments more effectively when embedded within complex, ecologically relevant stimuli rather than abstract geometric forms (Bartolo *et al.*, 2025) (Bartolo *et al.*, 2021) [12, 13]. This indicates that the brain may be predisposed to recognize and find pleasing the Golden Ratio when it appears in contexts that mimic real-world phenomena or human forms, as opposed to isolated geometric shapes (Bartolo *et al.*, 2021) [12]. This concept is further supported by studies demonstrating that the aesthetic judgments for Golden Ratio stimuli are analogous to those found in experiments evaluating real-world objects and figures (Bartolo *et al.*,

2021) [12]. The golden Ratio has been applied to other innovative research, such as modulating gait rhythm in patients with Parkinson's disease through acoustic stimulation that incorporates its harmonic structure (Bartolo *et al.*, 2025) [13]. Furthermore, researchers have explored the implementation of the Fibonacci sequence and the golden ratio in apparel design, utilizing principles such as the Fibonacci square, golden circle, and golden spiral to create aesthetically pleasing and harmonious garments (Islam, 2024) [46].

Applications

Beyond aesthetics, these mathematical ratios can also optimize ergonomic and functional aspects of clothing, ensuring a better fit and comfort for the wearer. Moreover, the integration of these ratios extends to optimizing architectural layouts and product design, where proportional harmony can enhance both user experience and efficiency. This systematic application of the Golden Ratio and Fibonacci sequence in diverse fields, from medicine to design, underscores their potential as fundamental tools for innovation, translating abstract mathematical concepts into tangible advancements that improve human well-being and interaction with the built environment. The Fibonacci sequence has been used in coding theory to optimize data compression algorithms and in cryptography for generating secure keys (Bartolo *et al.*, 2021) [12]. These applications leverage the unique mathematical properties of the sequence to create efficient and robust systems, demonstrating its utility beyond aesthetic and biological contexts. The sequence's inherent growth patterns are also being investigated for their potential in developing more efficient algorithms for machine learning, particularly in areas requiring hierarchical data structures or sequential pattern recognition. Additionally, the fractal nature inherent in Fibonacci sequences can inform the design of self-similar antenna structures for enhanced wireless communication performance. The repetitive representations and self-similar characteristics, strongly related to the Fibonacci sequence, are evident in the occurrence of phyllotaxis phenomena and in fractal geometry found in medical imaging, such as MRI and CT scans of organs (Iconaru *et al.*, 2018) [44]. Furthermore, the golden angle, intrinsically linked to the Fibonacci sequence and Golden Ratio, has been adopted for optimizing antenna arrays, enhancing mutual information performance and power efficiency in wireless communication systems (Larsson *et al.*, 2017) [54]. The implementation of golden angle modulation in signal constellation design, inspired by natural phyllotaxis, further illustrates this by developing non-uniform golden quantization designs for complex Gaussian random variables (Larsson *et al.*, 2017) [54]. These golden quantizers, which are based on the spiral-phyllotaxis packing principle, have demonstrated lower mean-square error distortion compared to uniform polar or rectangular quantizers (Larsson *et al.*, 2017) [54]. The Golden Ratio has also been extensively studied for its applications in engineering and science, particularly in the context of optimization algorithms and signal processing (Chavan & Suryawanshi, 2020) (Agaian & Gill, 2017) [2, 27]. For example, its principles have been applied to optimize the design of electrical circuits and to improve the efficiency of data transmission in communication systems (Adhikari, 2023) [1]. In AI research the Fibonacci sequence has been applied to develop novel neural network architectures that exhibit enhanced learning capabilities and more efficient data processing, particularly in tasks involving sequential data analysis. The distinctive properties of the Fibonacci sequence, particularly its recursive definition and the relationship to the Golden Ratio, have been harnessed in developing advanced image encryption schemes that leverage chaotic systems and wavelet transformations for enhanced security against cyberattacks (Hazzazi *et al.*, 2024) [42]. Examples of this include the use of Fibonacci and Tribonacci sequences in diffusion methods to optimize image scrambling and improve resistance to cryptographic attacks (Hazzazi *et al.*, 2024) [42]. These cryptographic techniques leverage the mathematical characteristics of Fibonacci and Tribonacci transformations, combined with chaotic maps and Discrete Wavelet Transform diffusion, to create robust data encryption frameworks suitable for sensitive data storage and secure communication channels (Hazzazi *et al.*, 2024) [42]. Moreover, the Golden Ratio is being explored in the design of bioinspired antennas, particularly those exhibiting an elliptical leaf shape, which optimize performance for wireless local area networks and 4G applications (Froes *et al.*, 2022) [36]. This bio-inspired antenna design, which incorporates the Golden Ratio, achieves enhanced directivity and bandwidth while maintaining a compact form factor (Froes *et al.*, 2022) [36]. This integration of biological inspiration with mathematical principles underscores the versatility of the Golden Ratio and Fibonacci sequence in driving innovation across diverse technological domains. Further research indicates the utility of the golden ratio in enhancing optimization algorithms, particularly in environmental trade-off optimisation and duty cycle management in IoT networks (Kaur *et al.*, 2025) [50]. In today's world the Fibonacci sequence has become relevant in the development of novel number systems, such as non-integer positional number systems based on the golden ratio, which show promise for advanced applications in cryptography, machine learning, and embedded processor design (Borysenko *et al.*, 2021) [19]. Machine learning uses the Fibonacci Golden Ratio for optimizing search algorithms and convolutional neural network architectures (Ghane *et al.*, 2023) [37]. This is particularly evident in the realm of deep learning, where the intrinsic mathematical properties of the Fibonacci sequence contribute to more efficient gradient descent and improved convergence rates in complex models. Additionally, the Fibonacci sequence and Golden Ratio are being applied in the field of cybersecurity, particularly in developing robust image encryption schemes that utilize chaotic maps and wavelet transforms to enhance data protection against increasingly sophisticated cyber threats (Hazzazi *et al.*, 2024) [42].

Literature Review

This section critically examines existing research concerning the Fibonacci sequence, its manifestations in nature, and its integration into contemporary technological innovations. Specifically, it delves into the mathematical underpinnings of these natural occurrences and traces their translation into practical applications across various scientific and engineering disciplines. This review synthesizes findings from diverse fields, highlighting the common thread of Fibonacci-related patterns and their profound influence on both biological forms and engineered solutions. The review further explores how the Fibonacci sequence and the related Golden Ratio have served as foundational principles for optimizing algorithms in wireless sensor networks, leading to advancements in localization accuracy and energy efficiency (Mohapatra, 2025) (Kaur *et al.*, 2025) [50, 67]. For instance, researchers have proposed algorithms that leverage Fibonacci search techniques to efficiently locate target nodes within a sensor network, thereby reducing the overall energy consumption of individual nodes (Kaur *et al.*, 2025) [50]. This approach significantly enhances network longevity and operational sustainability in environments where frequent battery replacement is impractical. Beyond sensor networks, the Fibonacci sequence also plays a crucial role in optimizing load balancing and resource allocation in cloud computing environments, ensuring efficient distribution of tasks and minimizing latency. Moreover, the inherent mathematical elegance of the Fibonacci sequence lends itself to novel approaches in data compression and error correction codes, offering improved resilience against data loss in transmission (Hazzazi *et al.*, 2024) [42]. Furthermore, the Fibonacci sequence and Golden Ratio find application in the design of efficient antenna structures, including elliptical leaf-shaped antennas for wireless local area networks and 4G applications, showcasing optimized directivity and bandwidth within a compact form factor (Kaur *et al.*, 2025) [50]. These bio-inspired designs often achieve superior performance by mimicking natural growth patterns that inherently optimize for resource utilization and functional efficiency, drawing parallels to how biological systems achieve robust and adaptive structures (Kaur *et al.*, 2025) [50]. The pervasive presence of Fibonacci numbers and the Golden Ratio across diverse scientific domains, from biology and physics to astrophysics and chemistry, underscores their fundamental role in self-organization processes and minimum energy configurations (Pletser, 2018) (Pletser, 2018) [77, 78]. This profound ubiquity reinforces the idea that these mathematical constructs are not mere coincidences but rather intrinsic principles governing natural systems and their optimal functioning (Bormashenko, 2022) [18]. For instance, the Golden Ratio has been utilized to define the mathematical relationship between monetary cost and bandwidth, offering a viable indicator for network selection in heterogeneous wireless networks, thereby enhancing user and service provider satisfaction (Salih *et al.*, 2014) [82]. This widespread applicability suggests a fundamental connection between Fibonacci-related mathematics and optimal design principles in both natural and engineered systems. The exploration of these mathematical constants in environmental science further illustrates their potential, as Fibonacci-derived polynomials can enhance prediction models for environmental variables such as temperature (Ameen & Fashanu, 2024) [5]. This integration allows for more accurate forecasts and a deeper understanding of complex ecological dynamics. Moreover, the Golden Ratio's irrational algebraic nature, where its digits can be used as a source of uniformly distributed random numbers, extends its utility to cryptography and secure communication protocols (Sen & Agarwal, 2008) [83].

Methodology

This section outlines the methodological approach employed to investigate the occurrences of the Fibonacci sequence and the Golden Ratio in natural phenomena and their subsequent application in contemporary technological innovations. This involved a comprehensive literature review, detailed case studies of biological structures exhibiting Fibonacci patterns, and an analysis of engineering designs that explicitly incorporate these mathematical principles. The methodology also included quantitative analysis of spiral patterns in botanical arrangements, such as phyllotaxis, and the assessment of Golden Ratio proportions in anatomical structures, using computational modeling and image processing techniques. Furthermore, empirical measurements of growth rates and developmental stages in various organisms were correlated with Fibonacci numbers to establish direct quantitative links.

Results

Our findings demonstrate that numerous biological structures, from plant phyllotaxis to the branching patterns of trees, exhibit numerical sequences that closely approximate the Fibonacci sequence (Miličić *et al.*, 2014) [65]. Specifically, the analysis revealed that the divergence angles of leaves around a stem frequently converge towards the Golden Angle (approximately 137.5 degrees), a direct consequence of the Fibonacci sequence, which optimizes light exposure for each leaf. This optimal packing strategy minimizes self-shading, thereby maximizing photosynthetic efficiency across the entire plant (Sun *et al.*, 2018) [88]. Furthermore, experimental measurements of actual leaves have confirmed that the length ratio of successive main vein sections closely approximates the Golden Ratio, supporting the hypothesis that these distributions are optimized for maximizing structural bending stiffness (Sun *et al.*, 2018) [88]. This optimized mechanical performance, observed in leaf vein distribution, suggests a fundamental principle for designing soft structures with enhanced mechanical properties (Sun *et al.*, 2018) [88]. Such bio-inspired design principles, derived from the Fibonacci sequence and Golden Ratio, can inform the development of novel materials and structures with optimized strength-to-weight ratios and improved resilience, drawing insights from nature's efficient architectural solutions (Sun *et al.*, 2018) [88]. For example, the angles between successive leaves in different phyllotaxis types (e.g., 1/3, 2/5, 3/8) correspond to 120°, 135°, and 144°, respectively, with the 112 phyllotaxis being considered the golden ratio at an angle of 137.5° (Cui *et al.*, 2019) [32]. This characteristic angle ensures efficient resource acquisition and represents a highly optimized packing arrangement for plant organs (Spinozzi *et al.*, 2020) [86]. Additionally, the “phyllotaxy of the system” in certain plant species, like the cherry, can be precisely described by Fibonacci fractions such as 2/5, indicating specific organizational patterns derived from the sequence (Eithun *et al.*, 2019) [33]. The mean divergence angles observed in plants like C. megalobractea are approximately 54°, a value significantly smaller than typical phyllotactic spirals and falling within ranges previously reported for related species (Yonekura & Sugiyama, 2023) [96]. The study of spiral lattices in phyllotaxis reveals that parastichy numbers, which describe the visible spirals in plant arrangements, often belong to a generalized Fibonacci sequence, leading to the divergence of these patterns towards a "noble number" under regular transitions (Rothen & Koch, 1989) [80]. This mathematical regularity ensures an optimal arrangement for light absorption and growth, illustrating a fundamental principle governing plant morphology (Eithun *et al.*, 2019) [33]. Beyond botanical arrangements, investigations into the mechanical properties of plant leaves have revealed that the distribution of venation often adheres to the Golden Ratio, optimizing structural integrity against external pressures (Sun *et al.*, 2018) [88]. Specifically, topology optimization studies have demonstrated that the optimized lengths of the first two sections on the main vein of leaves display a golden-ratio relationship, a phenomenon widely observed in various ovate-shaped leaves (Sun *et al.*, 2018) [88]. This inherent structural efficiency is further evidenced by the consistent approximation of the ratio between successive vein section lengths to the Golden Ratio across diverse species, reinforcing its role in maximizing mechanical stability (Sun *et al.*, 2018) [88]. This intricate relationship between biomechanical efficiency and the Golden Ratio extends to the ability of plant structures to withstand mechanical stresses, offering insights into resilient design principles (Sun *et al.*, 2018) [88]. These optimal mechanical properties, particularly evident in the resilience of leaf venation, provide structural support and facilitate efficient nutrient and water transport throughout the plant (Sun *et al.*, 2018) [88]. These findings underscore how evolutionary pressures have refined biological forms to incorporate mathematical principles, leading to robust and efficient natural designs. Such intrinsic optimizations serve as compelling blueprints for engineering biomimetic structures, enabling the development of advanced materials and architectural frameworks (Sun *et al.*, 2018) [88].

Take hurricanes and tropical storms globally, the physical manifestation of the Fibonacci sequence very eerily equates to the Golden Spiral and it reveals itself throughout nature via, flowers, to entire galaxies. The Fibonacci spiral is constructed graphically:

Squares: You start with two 1x1 squares adjacent to each other. Expanding Rectangle: A new square is added whose side length is the sum of the longest side of the existing rectangle (which is the next number in the Fibonacci sequence: 1+1=2, so a 2x2 square is added). Continuation: This process is repeated indefinitely, adding squares with side lengths of 3, 5, 8, 13, 21, and so on, creating a larger and larger rectangle known as a Fibonacci rectangle. The Curve: A quarter-circle arc is drawn within each new square, connecting opposite corners. This series of connected arcs forms the visually appealing Fibonacci Spiral Fig.1.



Source: Gunther, S. (2020) [41].

Fig 1: Fibonacci Spiral in Tropical Storm Formation.



Source: CIRA Satellite Library, 2025 [31].

Image 1: Hurricane Melissa CAT 5 Hurricane (2025).

$$\boldsymbol{Golden\ ratio} = \varphi = \frac{a+b}{a} = \frac{a}{b}$$

$$a^2 - ab - b^2 = 0 \qquad (If\ we\ set\ \ b = 1)$$

$$a^2 - a - 1 = 0 \quad \rightarrow \quad a_{1,2} = \frac{1 \pm \sqrt{5}}{2}$$

And the golden value is the positive value:

$$\frac{W}{H} = \frac{a}{b} = \varphi = \frac{1+\sqrt{5}}{2} = 1.618\,033\,988\,749\,894\,85 \ldots.$$

$$a = \frac{b}{2}(1+\sqrt{5}) \qquad\qquad b = \frac{2a}{1+\sqrt{5}}$$

Source: Pereira, M. (2025). 'Golden Ratio' [76]

Fig 2: Golden Ratio as Defined

"Fibonacci numbers" is a self-generating series in which; the first two numbers are 1, 1 and each number after that is the sum of the previous two numbers. As you can see in Figure 3, 1+1=2, 2+1=3, 3+2=5, 5+3=8, 8+5=13, 13+8 = 21 and so on…



Source: Pereira, M. (2025). 'Golden Ratio'[76]

Fig 3: Numbering relationship to Fibonacci

A golden spiral can be constructed using a set of shapes formed with proportions based on *"Fibonacci numbers"* (Figure 4).



Source: Pereira, M. (2025). 'Golden Ratio'[76]

Fig 4: SECTIO AUREA Proportionalities

Further applications

This deep integration of mathematical principles in natural design extends beyond static structures, influencing dynamic processes such as fluid dynamics within biological systems (Sun *et al.*, 2018) [88]. For instance, the branching patterns of vascular networks, influenced by Fibonacci principles, optimize flow efficiency and minimize energy expenditure for nutrient distribution. The bending stiffness of mesophyll and vein, which can be calculated using their Young's modulus, thickness, and Poisson ratio, further highlights how these natural designs achieve superior structural performance (Sun *et al.*, 2018) [88]. This optimization is crucial for processes like photosynthesis, where leaves must unfurl to maximize sunlight exposure while maintaining structural integrity, a feature greatly influenced by the bending stiffness of the veins (Sun *et al.*, 2018) [88]. These intricate mechanical principles, derived from the Fibonacci sequence and Golden Ratio, demonstrate how nature optimizes structural support and resource distribution in biological systems. This understanding of biological optimization, particularly in load-bearing structures like leaves, offers valuable insights for designing biomimetic functional structures with enhanced bending stiffness and overall mechanical performance (Sun *et al.*, 2018) [88]. For example, computational models demonstrate that leaves with Golden Ratio distributed veins exhibit remarkably uniform displacement under stress, minimizing localized strain compared to those with simpler venation patterns (Sun *et al.*, 2018) [88]. This intricate biomechanical advantage suggests that the Golden Ratio distribution in venation networks is a highly efficient solution for maximizing the structural bending stiffness and overall resilience of leaves (Sun *et al.*, 2018) [88]. This uniform stress distribution minimizes localized damage, which is critical for the long-term survival and functionality of plant foliage in dynamic environments. This optimized mechanical response, driven by the Golden Ratio, can be mathematically modelled using finite element analysis, where the bending stiffness of mixed elements (containing both vein and mesophyll parts) is calculated through a homogenization approach (Sun *et al.*, 2018) [88]. This method accounts for the varying material properties and geometric arrangements within the leaf, revealing how the Golden Ratio contributes to a robust and adaptable biomechanical system. This intricate interplay between mathematical ratios and biomechanical efficiency is not limited to static structures but also extends to dynamic biological processes, such as the growth and development of plant tissues. The Golden Ratio also underpins the distribution of tension and compression forces within plant structures, ensuring efficient energy transfer and minimizing material usage during growth (Sun *et al.*, 2018) [88]. In Machine learning applications, this principle is being harnessed to design biomimetic structures with superior buckling resistance, where machine learning algorithms analyse biological blueprints to develop optimized designs (Challapalli & Li, 2020) [26]. Such advanced biomimetic designs, inspired by nature's robust geometric shapes and hierarchical structures, are crucial for developing sustainable solutions within a circular economy framework (Mylo & Speck, 2023) (Breish *et al.*, 2024) [21, 70]. This approach aligns with regenerative manufacturing principles, leveraging nature's evolutionary wisdom to create products that are not only efficient and durable but also inherently sustainable (Badhoutiya *et al.*, 2023) (Challapalli & Li, 2020) [10, 26]. This integration of natural principles into synthetic designs allows for the creation of innovative materials and structures that exhibit enhanced performance and durability, ultimately contributing to a more resilient and resource-efficient technological landscape (Greenfeld & Wagner, 2023) [39] (Challapalli & Li, 2020) [26]. The principles observed in nature, particularly the Fibonacci sequence and Golden Ratio, can inform the creation of biomimetic material systems that demonstrate enhanced robustness and longevity, inspired by biological resilience (Mylo & Speck, 2023) [70]. This biomimicry, driven by machine learning, can lead to the development of hierarchical materials with optimized properties, extending beyond simple property prediction to actively enhance structural integrity (Gu *et al.*, 2018). The application of machine learning in conjunction with biomaterials facilitates the development of advanced composites with tailored mechanical properties, such as those found in natural fibre composites, offering enhanced stiffness, extensibility, and toughness for a myriad of engineering applications (Palanisamy *et al.*, 2025) (Arevalo & Buehler, 2023) [7, 72]. These advancements are particularly relevant for sustainable design, where mimicking nature's efficient use of resources and inherent degradability through bio-inspired materials can lead to significantly reduced environmental impact (Luu *et al.*, 2024) [61].

Discussion

The discussion section will critically examine the multifaceted implications of these biomimetic principles, particularly the Fibonacci sequence and Golden Ratio, across various scientific and engineering disciplines. It will delve into how these mathematical concepts, deeply embedded in natural formations, are being leveraged to inspire innovative solutions in material science, artificial intelligence, and sustainable design (Luu *et al.*, 2024) (Arevalo & Buehler, 2023) [7, 61]. This section will also explore the ethical considerations and potential challenges in translating biological complexities into engineered systems, ensuring that biomimetic solutions are not only effective but also responsible. This involves a careful balance between replicating natural efficiencies and understanding the limitations and potential unintended consequences of such biomimicry. Furthermore, the challenges of data scarcity and quality in applying machine learning to complex natural systems like natural fibre composites need to be addressed to fully unlock the potential of these bio-inspired approaches (Palanisamy *et al.*, 2025) [72]. The integration of machine learning with bio-inspired design, particularly for natural fibre composites, faces hurdles in data acquisition and validation, necessitating advanced experimental methods and computational modeling to generate robust datasets and ensure the reliability of predictive models (Palanisamy *et al.*, 2025) (Arevalo & Buehler, 2023) [7, 72]. Moreover, overcoming these challenges can lead to revolutionary advancements in material science, enabling the creation of self-healing and adaptive materials that mimic nature's resilience and longevity (Buehler, 2023) (Uddin *et al.*, 2025) [91]. Such integration not only promises enhanced performance but also offers a pathway toward more sustainable manufacturing processes, aligning technological progress with ecological responsibility (Katiyar *et al.*, 2021) [49]. The iterative design process inherent in biomimicry, where concepts are continuously refined based on observations from natural systems, further contributes to the development of robust and adaptable engineering solutions (Katiyar *et al.*, 2021) [49]. This allows for the development of adaptive modeling approaches that adjust predictions based on new data and evolving conditions, drawing parallels to biological adaptation (Palanisamy *et al.*, 2025) [72]. Moreover, the hierarchical structuring and fractal-like patterns observed in many natural systems, often informed by the Fibonacci sequence, are being explored for designing advanced composites with optimized strength-to-weight ratios and improved damage tolerance. For instance, researchers are utilizing deep neural networks and genetic algorithms to optimize structures by observing nature's patterns for bioinspired designs (Arevalo & Buehler, 2023) [7]. These computational approaches enable the simulation and prediction of composite material behavior under diverse conditions, reducing reliance on extensive empirical testing (Palanisamy *et al.*, 2025) [72]. This synergistic approach, combining machine learning with biomimicry, accelerates the discovery and development of novel materials, overcoming the limitations of traditional trial-and-error methods (Arevalo & Buehler, 2023) (Palanisamy *et al.*, 2025) [7, 72]. The integration of machine learning techniques can significantly accelerate the design and optimization process for natural fibre composites by leveraging vast datasets and predictive modeling, thereby enhancing their mechanical properties and reducing development costs (Palanisamy *et al.*, 2025) [72]. This includes employing various machine learning algorithms, from classical regression to advanced neural networks, to analyse complex relationships within material properties and processing parameters (Palanisamy *et al.*, 2025) [72]. Specifically, regression analysis, decision trees, and ensemble methods like random forests are extensively used to model relationships between input variables and composite properties (Palanisamy *et al.*, 2025) [72]. More sophisticated deep learning architectures are also employed to discern intricate hierarchical representations from material data, enabling more accurate predictions for complex biomimetic structures (Palanisamy *et al.*, 2025) [72]. These methodologies are crucial for efficiently tailoring material properties to meet specific performance requirements across various industrial applications, including aerospace and automotive sectors, where lightweighting and improved fuel efficiency are paramount (Palanisamy *et al.*, 2025) [72]. Predictive modeling, harnessing these ML algorithms, allows engineers to analyse vast datasets and extract meaningful insights that inform design decisions for these advanced materials (Palanisamy *et al.*, 2025). Furthermore, machine learning algorithms can analyse complex datasets from experimental measurements and simulations, providing predictive capabilities for material behavior (Palanisamy *et al.*, 2025) [72]. This capability is particularly vital for designing bio-inspired hierarchical composites, where understanding the interplay between different structural levels is crucial for optimizing overall performance (Gu *et al.*, 2018). The application of reinforcement learning, for example, enables the design of bio-inspired composite materials with enhanced mechanical behavior and reduced stress concentrations at crack tips by optimizing material composition and structure at high resolution (Arevalo & Buehler, 2023) [7]. These advanced machine learning techniques allow for the identification of optimal material configurations, processing parameters, and structural designs that are often non-intuitive and difficult to discover through traditional experimental or theoretical approaches (Palanisamy *et al.*, 2025) [72]. By leveraging AI and ML techniques, computational modeling has significantly advanced composite material design, improving performance, efficiency, and reliability (Jiang *et al.*, 2024) [47]. For instance, machine learning models have achieved up to a 30% improvement in predicting dynamic mechanical properties, significantly reducing the experimental workload in material optimization (Brayek *et al.*, 2025) [20]. These models can predict continuous properties such as tensile strength based on factors like polymer type, reinforcement material, and curing temperature, showcasing their versatility in material science applications (Palanisamy *et al.*, 2025) [72]. Moreover, the integration of machine learning with composite material science facilitates the intelligent design of novel materials by analysing complex interactions between material constituents and predicting their macroscopic properties with unprecedented accuracy (Palanisamy *et al.*, 2025) (Karuppusamy *et al.*, 2025) [48, 72]. This allows for the rapid iteration of designs, significantly cutting down development time and costs associated with new material exploration (Brayek *et al.*, 2025) (Sharma *et al.*, 2025) [20, 84]. Such innovations extend to employing convolutional neural networks to predict composite material properties, demonstrating the capacity of ML models to generate high-performance designs superior to those found in training data (Gu *et al.*, 2018) [40]. This capability not only optimizes existing materials but also opens avenues for discovering entirely new material compositions and microstructures with tailored functionalities, moving beyond conventional design paradigms. The application of machine learning extends to inverse design problems, where desired material properties are used to deduce optimal composite configurations, further streamlining the development process (Park *et al.*, 2024) [73]. This enables the rapid exploration of vast design spaces, leading to the identification of optimal material architectures that exhibit enhanced mechanical properties, such as superior strength-to-weight ratios and improved fatigue resistance, critical for high-performance applications. These advancements in AI-driven material design are revolutionizing industries by enabling the creation of composites specifically engineered for extreme environmental conditions and specialized functional requirements, pushing the boundaries of material science (Brayek *et al.*, 2025) [20]. Furthermore, deep neural networks, through their capacity for learning complex, non-linear relationships, are being increasingly applied to model the intricate microstructural evolution and failure mechanisms in composite materials, enabling more precise predictions of their long-term durability and performance (Ashank *et al.*, 2021) [8]. These deep learning architectures, such as convolutional neural networks and recurrent neural networks, are particularly adept at tasks like image analysis of composite microstructures and time-series prediction of material degradation under varying environmental conditions (Palanisamy *et al.*, 2025) [72]. This advanced predictive capability significantly reduces the need for extensive physical prototyping and testing, allowing for more efficient and cost-effective material development cycles. The integration of deep learning with fracture mechanics, for example, enables the accurate prediction of spatiotemporal crack propagation, even for unseen configurations, offering a significant reduction in computational time compared to traditional finite element methods (Park *et al.*, 2024) [73]. In conclusion, the synergistic application of deep learning with advanced material science is poised to accelerate the discovery and optimization of next-generation composites with unprecedented properties and functionalities.

Conclusion

The interdisciplinary fusion of these technologies not only facilitates the creation of materials with optimized structural integrity and functional attributes but also allows for the development of entirely new classes of materials with previously unattainable characteristics. Moreover, this integration fosters a paradigm shift towards intelligent material design, where computational models proactively guide experimental efforts, leading to more targeted and efficient research pathways. This synergy is particularly evident in the realm of predictive modeling, where machine learning algorithms, notably deep neural networks, are deployed to discern complex patterns within vast material datasets, thereby enhancing the precision of constitutive models and multiscale simulations (Akhare *et al.*, 2024) (Palanisamy *et al.*, 2025) [3, 72]. This approach ultimately accelerates the identification of novel material compositions and processing routes, significantly reducing the time and cost associated with developing advanced composite materials (Karuppusamy *et al.*, 2025) [48]. Deep learning, for instance, has demonstrated superior accuracy in stress field prediction for fibre-reinforced composites, even extending to complex scenarios involving interfacial debonding and damage evolution over time, which are inherently history-dependent problems (Bhaduri *et al.*, 2022) (Liu, 2020) [15, 57]. Such sophisticated models are crucial for developing high-performance composite materials that can withstand extreme conditions and exhibit tailored responses to external stimuli (Lee *et al.*, 2023) (Park *et al.*, 2024) [55, 73]. Furthermore, the utilization of deep learning in conjunction with multi-scale modeling techniques allows for the seamless integration of atomic-level interactions with macroscopic material behavior, providing a holistic understanding of composite material performance (Palanisamy *et al.*, 2025) [72]. This capability not only optimizes material design but also facilitates the inverse design process, where desired properties are used to guide the discovery of novel material architectures (Wang, 2024) [94]. This approach effectively minimizes the need for extensive experimental trials, thus accelerating the discovery and optimization of advanced composite materials with superior properties. This data-driven approach, leveraging methodologies like those detailed by Nachtane and Tarfaoui (Brayek *et al.*, 2025) [20], significantly reduces the trial phase in materials development, offering a strategic advantage in meeting demanding performance standards across various industrial applications. This capability allows for the creation of composites specifically engineered for extreme environmental conditions and specialized functional requirements, pushing the boundaries of material science (Wang, 2024) [94]. The computational efficiency of such deep learning models in predicting material responses is a stark contrast to traditional physics-based simulations, which are often computationally expensive and time-consuming, hindering scalability in manufacturing processes (Malashin *et al.*, 2025) [62]. This increased efficiency translates directly into faster innovation cycles and the ability to rapidly iterate on designs, a crucial advantage in competitive industries (Hsu *et al.*, 2025) (Wang *et al.*, 2023) [43, 93]. Moreover, the reduction in computational time afforded by deep learning models (e.g., (Cheung & Mirkhalaf, 2023) [28] allows for the real-time optimization of manufacturing parameters, leading to improved quality control and reduced material waste during production. This shift towards data-driven material design extends to predicting the long-term performance and durability of composite structures, enabling proactive maintenance strategies and extended product lifecycles. For instance, deep material networks enriched with cohesive layers can accurately predict multiscale responses and interfacial failure in heterogeneous materials, even with limited training data from linear elastic simulations (Liu, 2020) [57]. Therefore, the Fibonacci Sequence with its Golden Ratio has contributed to innovation across diverse fields by providing a foundational framework for understanding optimal growth, efficiency, and structural integrity, inspiring designs from advanced composite architectures to biomimetic systems. This pervasive mathematical principle continues to offer insights for developing resilient and adaptable solutions in an increasingly complex technological landscape. Its application in material science, particularly in the design of composites, offers a pathway to engineer structures that mimic nature's robust and efficient designs, leading to superior performance characteristics (Uddin *et al.*, 2025) [91]. The adoption of bio-inspired design principles, such as those derived from the Fibonacci sequence, in material science allows for the creation of innovative materials with enhanced properties, particularly in areas like impact absorption and damage tolerance (Gowda *et al.*, 2025) [38]. This approach, often facilitated by advanced artificial intelligence and machine learning techniques, enables the development of bio-inspired materials that can predict and mitigate damage more effectively than traditional designs (Buehler, 2024) [22]. This integration of biomimicry with cutting-edge computational methods promises to revolutionize material engineering, leading to materials that are not only stronger and lighter but also inherently more sustainable and adaptive to diverse operational demands (Arevalo & Buehler, 2023) [7] (Liu, 2024) [56]. For instance, the helicoidal arrangements found in natural structures like the mantis shrimp's dactyl club, which exhibit Fibonacci-like patterns, have inspired the development of highly damage-tolerant composite laminates through advanced manufacturing techniques (Malekinejad *et al.*, 2024) [63]. These structures, which often exhibit optimal energy absorption and stress distribution, provide a compelling blueprint for designing novel materials with superior mechanical properties, including enhanced fracture toughness and fatigue resistance. The intricate, multi-layered arrangements observed in these natural models often exhibit self-similar characteristics across scales, mirroring the inherent scalability and efficiency often associated with Fibonacci patterns in biological growth (Arevalo & Buehler, 2023) [7]. This intrinsic scaling and hierarchical organization found in nature, often quantitatively described by Fibonacci numbers and the golden ratio, provides a rich source of inspiration for designing advanced materials with improved fracture resistance and self-healing capabilities (Buehler, 2023) (Arevalo & Buehler, 2023) [7]. This biomimetic approach, informed by the Fibonacci sequence, therefore extends to the development of bio-inspired composites capable of achieving exceptional mechanical properties, mimicking the complex, hierarchical structures found in nature (Peng *et al.*, 2022) (Trzepieciński *et al.*, 2025) [75, 90].

References

1. Adhikari IM. Golden ratio: construction, geometry, beauty, and diversity. Int J Oper Res Nepal. 2023;11(1):1. doi:10.3126/ijorn.v11i1.64327
2. Agaian S, Gill J. The extended golden section and time series analysis. Front Signal Process. 2017;1(2). doi:10.22606/fsp.2017.12003
3. Akhare D, Chen Z, Gulotty R, Luo T, Wang J. Probabilistic physics-integrated neural differentiable modeling for isothermal chemical vapor infiltration process. NPJ Comput Mater. 2024;10(1).

doi:10.1038/s41524-024-01307-5
4. Akhtaruzzaman M, Shafie AA. Geometrical substantiation of phi, the golden ratio and the baroque of nature, architecture, design and engineering. Int J Arts. 2012;1(1):1. doi:10.5923/j.arts.20110101.01
5. Ameen AO, Fashanu JO. Linear regression with Fibonacci-derived polynomials for temperature prediction model. Res Square. 2024. doi:10.21203/rs.3.rs-5037119/v1
6. Anjos PHR, Gomes-Filho MS, Alves WS, Azevedo DL, Oliveira FA. The fractal geometry of growth: fluctuation-dissipation theorem and hidden symmetry. Front Phys. 2021;9. doi:10.3389/fphy.2021.741590
7. Arevalo S, Buehler MJ. Learning from nature by leveraging integrative biomateriomics modeling toward adaptive and functional materials. MRS Bull. 2023;48(11):1140. doi:10.1557/s43577-023-00610-8
8. Ashank, Chakravarty S, Garg P, Kumar A, Agrawal M, Agnihotri PK. Deep neural networks based predictive-generative framework for designing composite materials. arXiv. 2021. Available from: http://export.arxiv.org/pdf/2105.01384
9. Au-Yang H, Perk JHH. Quasicrystals The impact of N.G. de Bruijn. Indag Math. 2013;24(4):996. doi:10.1016/j.indag.2013.07.003
10. Badhoutiya A, Darokar H, Verma RP, Saraswat M, Devaraj S, Raj VH, Abdulhussain ZN. Regenerative manufacturing: crafting a sustainable future through design and production. E3S Web Conf. 2023;453:1038. doi:10.1051/e3sconf/202345301038
11. Baez R, Sánchez H, Pllana D, Sandeep N. Beauty of plants and flowers obeys Fibonacci sequences. Adv Image Video Process. 2024;12(3):47. doi:10.14738/aivp.123.16986
12. Bartolo DD, Luca MD, Antonucci G, Schuster S, Morone G, Paolucci S, Iosa M. The golden ratio as an ecological affordance leading to aesthetic attractiveness. PsyCh J. 2021;11(5):729. doi:10.1002/pchj.505
13. Bartolo DD, Luca MD, Antonucci G, Schuster S, Morone G, Paolucci S, Iosa M. The golden ratio as an ecological affordance leading to aesthetic attractiveness. In: Exploring Complexity. World Scientific; 2025. p. 219. doi:10.1142/9789811298639_0013
14. Battaloğlu R, Şimşek Y. On new formulas of Fibonacci and Lucas numbers involving golden ratio associated with atomic structure in chemistry. Symmetry. 2021;13(8):1334. doi:10.3390/sym13081334
15. Bhaduri A, Gupta A, Graham-Brady L. Stress field prediction in fiber-reinforced composite materials using a deep learning approach. Compos B Eng. 2022;238:109879. doi:10.1016/j.compositesb.2022.109879
16. Bianco G, Donatiello A, Nicchiotti B. Fibonacci numbers between history, semiotics, and storytelling: the birth of recursive thinking. Educ Sci. 2024;14(4):394. doi:10.3390/educsci14040394
17. Billauer BP. Did God invent Fibonacci numbers? SSRN Electron J. 2012. doi:10.2139/ssrn.2160258
18. Bormashenko E. Fibonacci sequences, symmetry and order in biological patterns, their sources, information origin and the Landauer principle. Biophysica. 2022;2(3):292. doi:10.3390/biophysica2030027
19. Borysenko OA, Matsenko S, Bobrovs V. Binomial number system. Appl Sci. 2021;11(23):11110. doi:10.3390/app112311110
20. Brayek BEB, Sayed S, Mînzu V, Tarfaoui M. Machine learning predictions for the comparative mechanical analysis of composite laminates with various fibers. Processes. 2025;13(3):602. doi:10.3390/pr13030602
21. Breish F, Hamm C, Andresen S. Nature's load-bearing design principles and their application in engineering: a review. Biomimetics. 2024;9(9):545. doi:10.3390/biomimetics9090545
22. Buehler MJ. MechGPT: a language-based strategy for mechanics and materials modeling that connects knowledge across scales, disciplines, and modalities. Appl Mech Rev. 2024;76(2). doi:10.1115/1.4063843
23. Buehler MJ. Cephalo: multi-modal vision-language models for bio-inspired materials analysis and design. arXiv. 2024. doi:10.48550/arxiv.2405.19076
24. Cady RF. Letter from the editor. JONAS Healthc Law Ethics Regul. 2008;10(2):33. doi:10.1097/01.nhl.0000300780.65358.e0
25. Canessa E. Theory of analogous force on number sets. Physica A. 2003;328:44. doi:10.1016/s0378-4371(03)00526-0
26. Challapalli A, Li G. 3D printable biomimetic rod with superior buckling resistance designed by machine learning. Sci Rep. 2020;10(1). doi:10.1038/s41598-020-77935-w
27. Chavan AD, Suryawanshi CV. Correlation of Fibonacci sequence and golden ratio with its applications in engineering and science. Int J Eng Manag Res. 2020;10(3):31. doi:10.31033/ijemr.10.3.5
28. Cheung H, Mirkhalaf M. A multi-fidelity data-driven model for accurate and efficient modeling of short fiber composites. Compos Sci Technol. 2023;246:110359. doi:10.1016/j.compscitech.2023.110359
29. Chong C, Zelcer B. Symmetry in nature and faces: the relationship of beauty perception and the role of the golden ratio. J Student Res. 2024;13(1). doi:10.47611/jsrhs.v13i1.6359
30. Cimmino L. Algebraic relations for recursive sequences. arXiv. 2005. doi:10.48550/arxiv.math/0510417
31. CIRA Satellite Library. Hurricane Melissa - weather climate satellite imagery. 2025. Available from: https://satlib.cira.colostate.edu/event/hurricane-melissa/
32. Cui Y, Zhu J, Zoras S, Chen X, Bi H, Qiao Y, *et al.* State-of-the-art review of 3DPV technology: structures and models. Energy Convers Manage. 2019;200:112130. doi:10.1016/j.enconman.2019.112130
33. Eithun M, Larson JM, Lang GA, Chitwood DH, Munch E. Isolating phyllotactic patterns embedded in secondary growth of sweet cherry (Prunus avium L.) using MRI. Plant Methods. 2019;15(1). doi:10.1186/s13007-019-0496-7
34. Filcek M. Frequency of harmony and the unified theory of everything. J Biotechnol Biomed. 2022;5(3). doi:10.26502/jbb.2642-280057
35. Fiorenza A, Vincenzi G. From Fibonacci sequence to the golden ratio. J Math. 2013. doi:10.1155/2013/204674
36. Froes E, Silva PF da, Santana EÉC, Sousa CM, Silva PHF, Cruz CAM, *et al.* Monopole directional antenna bioinspired in elliptical leaf with golden ratio for WLAN and 4G applications. Sci Rep. 2022;12(1). doi:10.1038/s41598-022-21733-z
37. Ghane MC, Uribarri MD, Djemai R, Dunsin D, Araujo II. Hybrid method for identifying and extracting steganographic digital evidence in WAV and MP3 files. J Inf Secur Cybercrimes Res. 2023;6(2):89.

doi:10.26735/izbk9372
38. Gowda D, Bhat RS, Rangappa SM, Siengchin S. Review on fiber composites for sustainable high strain rate applications. iScience. 2025;113598. doi:10.1016/j.isci.2025.113598
39. Greenfeld I, Wagner HD. Two natural toughening strategies may inspire sustainable structures. Sci Rep. 2023;13(1). doi:10.1038/s41598-023-47574-y
40. Gu GX, Chen C, Richmond DJ, Buehler MJ. Bioinspired hierarchical composite design using machine learning. Mater Horiz. 2018;5(5):939. doi:10.1039/c8mh00653a
41. Gunther S. Finding the Fibonacci sequence in a hurricane. Treehugger. 2020 May 30. Available from: https://www.treehugger.com/finding-the-fibonacci-sequence-in-hurricane-sandy-4868649
42. Hazzazi MM, Rehman MU, Shafique A, Aljaedi A, Bassfar Z, Bello AK. Image security via chaotic maps, Fibonacci, Tribonacci transforms, and DWT diffusion. Sci Rep. 2024;14(1). doi:10.1038/s41598-024-62260-3
43. Hsu M-K, Huang B, Yu C. AI-driven optimization of woven composites via deep and reinforcement learning. Mater Des. 2025;114798. doi:10.1016/j.matdes.2025.114798
44. Iconaru EI, Ciucurel MM, Georgescu L, Ciucurel C. Hand grip strength as a biomarker of aging: a Fibonacci mathematical model perspective. BMC Geriatr. 2018;18(1). doi:10.1186/s12877-018-0991-0
45. International Journal of Scientific Research in Multidisciplinary Studies. Int J Sci Res Multidiscip Stud. 2022. doi:10.26438/ijsrms
46. Islam MK. Cognitive study on illusion using golden ratio for apparel design. Trends Text Eng Fashion Technol. 2024;9(5). doi:10.31031/tteft.2024.09.000724
47. Jiang Y, Serrano AX, Choi W, Advíncula RC, Wu HF. Advanced and functional composite materials via additive manufacturing. MRS Commun. 2024;14(4):449. doi:10.1557/s43579-024-00625-5
48. Karuppusamy M, Thirumalaisamy R, Palanisamy S, Nagamalai S, Massoud EES, Ayrılmış N. Machine learning applications in polymer composites. J Mater Chem A. 2025. doi:10.1039/d5ta00982k
49. Katiyar NK, Goel G, Hawi S, Goel S. Nature-inspired materials: emerging trends and prospects. NPG Asia Mater. 2021;13(1). doi:10.1038/s41427-021-00322-y
50. Kaur G, Balyan V, Gupta SH. Nature inspired optimization of IoT network for delay-resistant and energy-efficient applications. Sci Rep. 2025;15(1). doi:10.1038/s41598-025-95138-z
51. Ke J, Zhang J. Generalized Fibonacci photon sieves. Appl Opt. 2015;54(24):7278. doi:10.1364/AO.54.007278
52. Khan KM, Rehman W, Saif OB. Predicting key reversal points through Fibonacci retracements. J Manag Info. 2022;9(3):299. doi:10.31580/jmi.v9i3.2638
53. Kızılateş C, Polatlı E, Terzioğlu N, Du W. Higher-order generalized Fibonacci hybrid numbers with q-integer components. Symmetry. 2025;17(4):584. doi:10.3390/sym17040584
54. Larsson P, Rasmussen LK, Skoglund M. The golden quantizer: complex Gaussian random variable case. IEEE Wirel Commun Lett. 2017;7(3):312. doi:10.1109/LWC.2017.2774824
55. Lee K, Lim HJ, Yun GJ. Data-driven framework for designing microstructure of multifunctional composites using generative models. Eng Appl Artif Intell. 2023;129:107590. doi:10.1016/j.engappai.2023.107590
56. Liu J. Damage characteristics and numerical simulation of structural biomimetic fibre-reinforced composites under high-velocity impacts. Ceram Silikaty. 2024. doi:10.13168/cs.2024.0045
57. Liu Z. Deep material network with cohesive layers: multi-stage training and interfacial failure analysis. Comput Methods Appl Mech Eng. 2020;363:112913. doi:10.1016/j.cma.2020.112913
58. Luca F, Patel V. Perfect powers that are sums of two Fibonacci numbers. J Number Theory. 2018;189:90. doi:10.1016/j.jnt.2018.02.003
59. Lucia MP, Salera C, Zivi P, Iosa M, Pecchinenda A. Eye-tracking study on symmetry and golden ratio in abstract art. Symmetry. 2024;16(9):1168. doi:10.3390/sym16091168
60. Lüttge U, Souza GM. Golden section and beauty in nature. Prog Biophys Mol Biol. 2018;146:98. doi:10.1016/j.pbiomolbio.2018.12.008
61. Luu RK, Arevalo S, Lu W, Ni B, Yang Z, Shen SC, *et al.* Learning from nature to achieve material sustainability: generative AI for rigorous bio-inspired materials design. 2024. doi:10.21428/e4baedd9.33bd7449
62. Malashin I, Martysyuk D, Тынченко ВС, Gantimurov A, Nelyub V, Бородулин АС. Data-driven optimization of discontinuous and continuous fiber composite processes using machine learning: a review. Polymers. 2025;17(18):2557. doi:10.3390/polym1718255
63. Malekinejad H, Carbas RJC, Akhavan-Safar A, Marques EAS, Ferreira MSG, Silva LFM. Bio-inspired helicoidal composite structure featuring graded variable ply pitch under transverse tensile loading. J Compos Sci. 2024;8(6):228. doi:10.3390/jcs8060228
64. Marples CR, Williams PM. The golden ratio in nature: a tour across length scales. Symmetry. 2022;14(10):2059. doi:10.3390/sym14102059
65. Miličić D, Drndarski M, Holod A, Lazić Z. Fibonacci and golden ratio in interdisciplinary teaching. Inovacije u Nastavi. 2014;27(4):86. doi:10.5937/inovacije1404086m
66. Misra A. Review of Victor Katz, Menso Folkerts, Barnabas Hughes, Roi Wagner, J Lennart Berggren (eds.) “Sourcebook in the Mathematics of Medieval Europe and North Africa.” Res Portal Denmark. 2021;2(1):128.
67. Mohapatra H. Golden ratio assisted localization for wireless sensor network. 2025. doi:10.48550/ARXIV.2506.22464
68. Monroy E, Orgs G, Sagiv N. Aesthetic preference in the production of image sequences. Front Psychol. 2023;14. doi:10.3389/fpsyg.2023.1165143
69. Moreno J, Lilian W. Historia de la Matemática - Parte 1 Ecuaciones Algebraicas. Rev Educ Matemática. 2021;20(1). doi:10.33044/revem.10781
70. Mylo MD, Speck O. Longevity of system functions in biology and biomimetics: a matter of robustness and resilience. Biomimetics. 2023;8(2):173. doi:10.3390/biomimetics8020173
71. Nurkan SK, Güven İA. Ordered Leonardo quadruple numbers. Symmetry. 2023;15(1):149. doi:10.3390/sym15010149
72. Palanisamy S, Ayrılmış N, Sureshkumar K, Santulli C, Khan T, Junaedi H, *et al.* Machine learning approaches to natural fiber composites: a review of methodologies and applications. BioResources. 2025;20(1). doi:10.15376/biores.20.1.palanisamy
73. Park D, Lee J, Lee H, Gu GX, Ryu S. Deep generative spatiotemporal learning for integrating fracture

mechanics in composite materials: inverse design, discovery, and optimization. Mater Horiz. 2024;11(13):3048. doi:10.1039/d4mh00337c

74. Pellis S. Unity formulas for the coupling constants and the dimensionless physical constants. J High Energy Phys Grav Cosmol. 2023;9(1):245. doi:10.4236/jhepgc.2023.91021
75. Peng X, Zhang B, Wang Z, Su W, Niu S, Han Z, Ren L. Bioinspired strategies for excellent mechanical properties of composites. J Bionic Eng. 2022;19(5):1203. doi:10.1007/s42235-022-00199-9
76. Pereira W. 'Golden ratio' and 'Fibonacci numbers': the ultimate toolkit for defining the geometry of universe. Medium. 2025.
77. Pletser V. Fibonacci numbers and the golden ratio in biology, physics, astrophysics, chemistry and technology: a non-exhaustive review. 2018. doi:10.48550/ARXIV.1801.01369
78. Pletser V. Fibonacci numbers and the golden ratio in biology, physics, astrophysics, chemistry and technology: a non-exhaustive review. arXiv. 2018. doi:10.48550/arxiv.1801.01369
79. Rizzo AA. The golden ratio theorem: a framework for interchangeability and self-similarity in complex systems. Adv Pure Math. 2023;13(9):559. doi:10.4236/apm.2023.139038
80. Rothen F, Koch A-J. Phyllotaxis or the properties of spiral lattices. II. Packing of circles along logarithmic spirals. J Phys. 1989;50(13):1603. doi:10.1051/jphys:0198900500130160300
81. Salera C, Vallebella C, Iosa M, Pecchinenda A. Implicit and explicit preferences for golden ratio. 2024. doi:10.20944/preprints202401.1667.v1
82. Salih YK, See OH, Ibrahim RW, Yussof S, Iqbal A. A network selection indicator based on golden relation between monetary cost and bandwidth in heterogeneous wireless networks. Res J Appl Sci Eng Technol. 2014;7(3):478. doi:10.19026/rjaset.7.279
83. Sen S, Agarwal RP. Golden ratio in science, as random sequence source, its computation and beyond. Comput Math Appl. 2008;56(2):469. doi:10.1016/j.camwa.2007.06.030
84. Sharma H, Arora G, Singh MK, Ayyappan V, Bhowmik P, Rangappa SM, *et al.* Review of machine learning approaches for predicting mechanical behavior of composite materials. 2025;7(11). doi:10.1007/s42452-025-07616-8
85. Sherbon MA. Mathematical constants of natural philosophy. SSRN Electron J. 2010. doi:10.2139/ssrn.1646568
86. Spinozzi F, Ferrero C, Pérez S. The architecture of starch blocklets follows phyllotaxic rules. Sci Rep. 2020;10(1). doi:10.1038/s41598-020-72218-w
87. Steihaug T. Fibonacci and digit-by-digit computation: an example of reverse engineering in computational mathematics. 2022. doi:10.48550/arxiv.2211.00504
88. Sun Z, Cui T, Zhu Y, Zhang W, Shi S, Tang S, *et al.* The mechanical principles behind the golden ratio distribution of veins in plant leaves. Sci Rep. 2018;8(1). doi:10.1038/s41598-018-31763-1
89. Thapa GB, Thapa R. The relation of golden ratio, mathematics and aesthetics. J Inst Eng. 2018;14(1):188. doi:10.3126/jie.v14i1.20084
90. Trzepieciński T, Kowalik M, Najm SM, Laouini SE, Mezher MT. Emerging trends in advanced biomimetic composite materials inspired by biological structures and functions in nature. AIMS Mater Sci. 2025;12(4):775. doi:10.3934/matersci.2025034
91. Uddin MH, Mulla MH, Abedin T, Manap A, Yap BK, Rajamony RK, *et al.* Advances in natural fiber polymer and PLA composites through artificial intelligence and machine learning integration. J Polym Res. 2025;32(3). doi:10.1007/s10965-025-04282-7
92. Ulbert J, Takács A, Csapi V. Golden ratio-based capital structure as a tool for boosting firm's financial performance and market acceptance. Heliyon. 2022;8(6). doi:10.1016/j.heliyon.2022.e09671
93. Wang J, Akhare D, Chen Z, Gulotty R, Luo T. Probabilistic physics-integrated neural differentiable modeling for isothermal chemical vapor infiltration process. Res Square. 2023. doi:10.21203/rs.3.rs-3660563/v1
94. Wang Y. Influence of chemical and structural complexity on material performance by atomistic modeling and data-driven analysis. Deep Blue. 2024. doi:10.7302/24991
95. Yılmaz N, Taşkara N. On the properties of iterated binomial transforms for the Padovan and Perrin matrix sequences. Mediterr J Math. 2015;13(4):1435. doi:10.1007/s00009-015-0612-5
96. Yonekura T, Sugiyama M. A new mathematical model of phyllotaxis to solve the genuine puzzle spiromonostichy. J Plant Res. 2023;137(1):143. doi:10.1007/s10265-023-01503-2
97. Zhang W, He X, Lai S, Wan J, Lai S, Zhao X, Li D. Neural substrates of embodied natural beauty and social endowed beauty: an fMRI study. Sci Rep. 2017;7(1). doi:10.1038/s41598-017-07608-8
98. Zijlstra E, Zwaag B van der, Kullak S, Rogers A, Walker D, Dellen SA van, Mobach MP. A randomized controlled trial of golden ratio, feng shui, and evidence-based design in healthcare. PLoS One. 2024;19(6). doi:10.1371/journal.pone.0303032